



PRODUCT-DETAILS

# TPME240D10WMN4S

## Surge Protective Device



| General Information     |   |
|-------------------------|---|
| Global Commercial Alias | TPME240D10WMN4S   |
| Extended Product Type   | TPME240D10WMN4S   |
| Product ID              | 1TQD410240D3104   |
| EAN                     | 783175687275  |
| Catalog Description     | Surge Protective Device                                     |
| Long Description        | Surge Protective Device TPME,100kA per mode,240v Delta 3P3W |

| Technical  |  |
|--|--|
| Rated Voltage (U <sub>r</sub> )                                  | 240 V AC   |
| Voltage Protection Level (U <sub>p</sub> )                       | 1200 kV  |
| Maximum Continuous Operating Voltage (U <sub>c</sub> )           | (L-PE) 270 V   |
| Rated Service Short-Circuit Breaking Capacity (I <sub>cs</sub> ) | 200 kA   |
| Discharge Current  | Nominal (8 / 20 μs) 20 kA<br>I (max, 8 / 20 μs) 200 kA |

|                           |                |
|---------------------------|----------------|
| Number of Protected Poles | 3              |
| Number of Conductors      | 3              |
| Transmission Standard     | Acoustic Optic |
| Mounting Type             | In Housing     |

Material Compliance

|   |  |
|---|--|
| RoHS Status                                 | No declaration needed  |
| REACH Information                           | No data - If REACH inform is not yet available for a certain product |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |

Dimensions

|                            |                      |
|----------------------------|----------------------|
| Product Net Width          | 7.46 in<br>189.48 mm |
| Product Net Height         | 9.50 in<br>241.30 mm |
| Product Net Depth / Length | 4.95 in<br>125.98 mm |
| Product Net Weight         | 13 lb<br>5.9 kg      |

Ordering

|                              |                  |
|------------------------------|------------------|
| Package Level 1 Units        | box 1 piece      |
| Package Level 1 Gross Weight | 18 lb<br>8.16 kg |
| Replacement Product ID (NEW) | 2CJC120240D4204  |

Certificates and Declarations

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
|--------------------------------|-----------------------|

Installation

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | 9AKK107680A9448 |
|--------------------------|-----------------|

Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107680A9391 |
|-----------------------------------|-----------------|

Classifications

|        |   |
|--------|---|
| ETIM 8 | EC000941 - Surge protection device for power supply systems |
| ETIM 9 | EC000941 - Surge protection device for power supply systems |

|                                    |                           |
|------------------------------------|---------------------------|
| WEEE Category                      | Product Not in WEEE Scope |
| UNSPSC                             | 39121610                  |
| eClass                             | V11.0 : 27130805          |
| IDEA Granular Category Code (IGCC) | 4906 >> Surge suppressers |

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Surge Protective Device → Hardwired and Wall Mount

